

Fig. 1. Conception of the mantle plume theory, adapted liberally from W. J. Morgan (unpuffed data, 1977).

# Graphic Solutions to Problems of Plumacy

John C. Holden and Peter R. Vogt

## Preface

The mantle plume is just the youngest member of a big and colorful family of geological fads and fashions: diluvialisms and catastrophisms, earths expanding and contracting, global tectonics new and old. Some of these fads have become bandwagons rolling from theory to fact. Others are intellectual white elephants gathering library dust. We do not know yet how the mantle plume will fare; certainly

it has not quite attracted the bandwagon that the new global tectonics did.

Since plumes are better hidden from observation than plates, it may take years to prove or disprove their existence. This is just as well—one cannot write a research proposal to prove that the earth is round or that the continents drift.

In this paper we hope to cut through the hullabaloo surrounding mantle plumes by offering a graphic commentary on the 'hot' topic. Any resemblance between persons or deities

depicted here and those living or dead may or may not be coincidental. If kings and statesmen fall to the cartoonist's pen, why not scientists, their students, instruments, and Mother Earth herself?

## Introduction

It was *Wilson* [1963] who first suggested that hot spots were fixed in the upper mantle and created aseismic ridges as crustal plates moved over them. This idea was expanded to include a mechanism that would also




Fig. 2. Gravitational anchor theory, showing the origin of Hawaii [Shaw and Jackson, 1973]. According to this hypothesis, even the motion of California can be explained (although the motions of Californians remain as mysterious as ever).




Fig. 3. Stress field lineations plotted from volcano distribution along the Hawaiian chain. The geophysical relevance of the message spelled out is a matter of intense debate.

account not only for hot spots but also for the causal forces of plate tectonics and continental drift. In short, it was proposed that ascending convection plumes exist in the deep mantle below active hot spot volcanism [Morgan, 1971, 1972]. Geometrically, these features are toroidal cells with narrow (200-300 km wide) vertical axes through which hot material is transferred from the lower to the higher regions in the mantle.

An entire science has developed around the study of plumes, albeit perhaps no more scientific than social, spiritual, or political science. If the concept is valid, then most first-order features of the earth's surface may be attributed directly or indirectly to plumes. We term this discipline 'plumacy,' its practitioners 'plumatics' (also 'plume freaks'). Recognizing the parallels between religious and geological faiths, we also propose the term 'aplumatics' for those who do not believe that mantle plumes exist; we carry over the term 'agnostic' to apply to all those fainthearted earth scientists who refuse to debate the issue on grounds that the existence or nonexistence of mantle plumes cannot be proved since the terms are not defined. This position is untenable, since the definition and etymology of the word plume has been published in the geological literature [Anderson, 1975]. Because he is a little-known author (just one of the numerous Andersons in earth science) publishing in an obscure journal, it is worthwhile to reproduce his definition here.

Tozer [1973] has objected to the use of the word 'plume' because of prior usage and connotations. However, the various definitions of 'plume' and its antecedents in French, Latin, and German seem to provide enough flexibility to describe the phenomenon, its implications, and its raison d'être on the one hand and its inventors, supporters, and detractors on the other: *Plume* (English, from French and Latin, pluma)—a feather, a long handsome feature, a token of honor or prowess; a prize, to pride or congratulate; to preen. *Plombe* (Germanic)—a plug. *Plombe* (Old English from West Germanic)—something especially desirable, as a good position. *panache* (French)—trail, stripe, swagger; *fumée* (French)—smoke, fumes, steam; *fumer* (verb)—to fume, to dung, to manure; *plumitif* (familiar)—scribbler, pen-pusher.

We leave the definition of hot spots (also called melting spots and melting




Fig. 4. Alternative to the mantle plume theory (based on an ancient Japanese legend).




Fig. 5. Schematic of a theory for the origin of midoceanic rifts, hot spots, the solar system, creation, and God.

anomalies) as an exercise for the reader.

### Plumes, Antiplumes, and Other Explanations for Hot Spots

Plumes are often invoked to explain the source of the force causing sea floor spreading and plate motion. Unfortunately, no airtight case has been made for the cause of the plumes themselves, and the original problem of where it all begins is not solved but merely pushed deeper into the earth's interior. Therefore we must in all fairness discuss not only mantle plumes but alternate theories put forth to explain hot spots.

One wonders what was being smoked when the plume concept was formed (Figure 1). It is a well-known

dictum in geopolitics that for popular acceptance the terms one chooses are equally as important as the ideas themselves. Therefore when the plume concept was under construction, the stem of the plume was cleverly dubbed a pipe, which immediately brings to mind kimberlite pipes of mantle origin. . . Bingo, a winner! After all, it is much more propitious for material to move 'up the pipes' than to go 'down the tubes.' However, to suggest that the term pipe was picked only for its public relations value is not entirely fair. After all, when geophysicists conceptualize, they habitually use the stems of their pipes as a scale for relative proportions. So it is only logical that the stem of a plume should be called a pipe; Q.E.D.

A few years after the plume idea

was out, *Shaw and Jackson* [1973] proposed a slight modification of it in their gravitational anchor theory (Figure 2). According to this scheme, dense crustal residues are sinking beneath Pacific hot spots at the eastern ends of the Hawaiian, Tuamotu, and Austral chains as low-density basaltic magmas are distilled out and up to form the spot on the hot spot. The geometry of this specialized convection cell is that of an upside-down plume, or antiplume as it were. Shaw and Jackson are absolutely correct in assuming that these anchors do not drive the plates but rather act as pinning points. We presume that the chain (not the volcanic chain) attached to the anchor (and nowhere discussed by the original authors) extends out of the orifice of the volcano. Where it goes after that is uncertain; perhaps it




Fig. 6. Mantle plume materials transported by faulty plumbing system from the lower regions to the midoceanic ridge. (Devils not to scale.)

is attached to the nearest continent, and if it does not drive the oceanic plate, it pulls the continent over it. Because this theory accounts for the large shield volcanoes at Hawaii and elsewhere, gravitational anchors are associated with an abundance of tephra-laden hot air that often tends to obfuscate a clear understanding of these features.

On occasions when the clouds do clear somewhat, some authors can identify stress fields in the Hawaiian chain (not the anchor chain) indicating the stress of the anchor [Jackson and Shaw, 1975]. They define two stress fields, a Polynesian and a Hawaiian field. We see that a third pattern and a reassessment of all three fields yields a remarkable phenomenon (Figure 3). Carefully plotting the three lineation sets actually spells out this fact, and in Latin, no less. We misinterpret these data to read, 'We think, therefore they exist.' The mouse diagram showing trend bearings about an imaginary center marks the overall trend of the Hawaiian chain (the volcanic chain, not the anchor chain).

Plumes, antiplumes, and propagating fractures are certainly not the only possible explanations for features such as the Hawaiian chain. Ancient legend has it that the island of Japan is situated atop a giant carp and that every time the beast shifts position Mount Fuji erupts. As most legends have some basis in fact, we propose that this creature also finds its home throughout the viscous asthenosphere (Figure 4). Could it be that as it swims, at a rate of only a few centimeters per year within the mantle, it leaves behind a buoyant trail of tholeiitic bubbles which rise ponderously to create aseismic ridges? We name this fish *Asthenichthes aseismotathes*, or the asthenospheric fish that makes aseismic ridges. No doubt there are some who would question our taxonomy and would want to call the species a form of crappie. Readers may find something fishy about this theory, but then there is at least something fishy about the other theories as well.

How plumes are oriented, orifice up or orifice down, awaits future adjudication. On the other hand, we can make some definite statements




Fig. 7. Strange chemistry of ocean island tholeiites, hawaiites, balonites, and similar hot spot generated rocks, attributed to the culinary habits of X. Vulcan et al. (regurgitated material, in preparation, 1977).

about the distributions of plumes. There are, for example, two plumes on the Arctic and Antarctic circles, namely, Iceland and Balleny Islands, respectively. If Balleny Islands are, in fact, a plume, as Morgan [1972] predicted, it is nearly perfectly antipodal to the Iceland plume [Holden, 1976a]. If these two hot spots are taken as midpoints of the two world rift systems, the rifts have an interesting relationship to each other, as shown in Figure 5. One supposes that this proves the athletic excellence of the Creator, for the game is certainly horseshoes, and He has scored two perfect ringers. It would seem that this particular game has been going on for at least 200 m.y. if the rift margins of Antarctica are any indication. This continent has been located at the south pole since Pangaea broke apart, and its rift margins are all close to the Antarctic Circle [Holden, 1976b]. Unfortunately, this only accounts for two plumes; we leave it up to the reader to devise explanations for the distribution of the remaining 120.

### How Many Plumes?

Mantle plumes are in the midst of a population explosion that threatens to engulf the earth in a volcanic catastrophe [Vogt, 1972]. The facts speak eloquently for themselves—no need to consult the Club of Rome. In 1971 there were 20 plumes [Morgan, 1971, 1972]; in a mere half decade the

population has risen to no less than 122 [Burke and Wilson, 1976]. Our extrapolations from these data show that there will be 1,000,000 hot spots by the year 2000. We hope someone proves that hot spots do not exist, before it is too late.

### Cracked Sewer Pipes

If mantle material rises below Iceland, it must somehow spread out from the top (head) of the plume. Presumably, the flow occurs primarily in the asthenosphere below the plate. Vogt [1971, 1974] and Schilling [1973, 1975] have suggested that this flow is concentrated in the bidirectional pipe formed below the spreading axis as a result of extensive partial melting and lowered viscosity there (Figure 6). This slightly tilted 'cracked sewer pipe' flushes away the material rising in the stem of the vertical pipe.

The sewer pipe is cracked (or, more exactly, half-cracked like its author) in the sense that tholeiitic magmas must rise vertically to feed the constantly accreting oceanic crust. To further complicate matters, transform faults offsetting the spreading axis also offset the subaxial conduit, thus creating transform dams [Vogt and Johnson, 1975]. Despite all this faulty plumbing the conduit can do it, be Holden though it is to numerous mantle demons (Figure 6). Fluctuations in plume discharge down the cracked sewer pipes are thought to




Fig. 8. Geochemical research on mantle plumes, as conducted at a modern university. The significance of the Azores, Iceland, and Mickey Mouse in this scheme is still under discussion.

leave V-shaped ridges imprinted on the ocean crust [Vogt, 1971]. Vogt is currently searching bathymetric charts to see whether there is a good spot for a P on it.

The extreme case of a fluctuating plume is the mantle blob [Schilling, 1975], a concept possibly suggested to Schilling by the behavior of a lava lamp. We expect future hot spot authors to embellish this already descriptive terminology with, for example, mantle drops and dabs and drips, mantle splats and burps and belches and spurts and...

Before leaving the intriguing though semiscatological subject of tectonic toiletometry we offer an interesting historical note. The famous early geophysicist Jules Verne

had his team descend the vertical pipe beneath Iceland in their Journey to the Center of the Earth and ascend through a volcano in the Mediterranean. This path no doubt accounts for the great difficulties they encountered, since mantle material rises at Iceland and sinks in the Mediterranean subduction zone. They were fighting against strong currents all the way. (Soon after this ordeal, Verne spent 80 days in a balloon floating around the world to recuperate.)

### Plume Chemistry

It now seems that the final answers concerning the earth's largest features will be found by those dedicated research teams studying the

rarest elements and smallest subdivisions of matter.

Hot spot basalts have long been known to differ from ocean floor basalts. Even beginning Geology 1 students could take some Icelandic basalts for granite, since some of them are. Sunken continental crust was once thought to exist at depth but has since dissolved into mantle. More recently [Schilling, 1973, 1975], systematic variations in some isotope ratios and LIL (large ionic lithophile) elements along the midocean ridge away from hot spots have suggested unique PHMP (primary hot mantle plume) chemistry distinct from the DLVL (depleted low-velocity layer). Although the various PHMP's differ among themselves in LIL's, such as




Fig. 9. Diagram hypothesizing the correlation between discharge of island arc and hot spot volcanoes. Mantle viscosity is assumed to be zero as a first approximation (with apologies to S. K. Runcorn).

La, K, P, and Ti, the DLVL always has fewer LIL's than the PHMP.

We see that hot spot basalts are really a GAS (geochemical alphameric soup) that seems diabolically difficult to understand, probably because it is the work of the UMD's (upper mantle demons; see Figure 7). The decoding of this GAS clearly requires elaborate technologies, such as mass spectrometers, neutron activators, eutecticized equilibrating quasi-partial melting fractionators, and multi-phased polyglazing computers. To operate this fancy gadgetry and produce significant results, a LAGS (large army of graduate students) is also required (Figure 8).

To make chemistry of ocean crust more accessible to the simpleminded (and penniless) layman, Vogt and Johnson [1973] have invented 'magnetic telechemistry.' In this modern version of water-witching, all that is needed is a \$2,000,000 aircraft or a \$15,000,000 research ship outfitted with a magnetometer. Iron-rich basalts associated with mantle plumes can be charted once the measurements are corrected for sunken submarines

and schools of magnetic fish. The concentrations of other elements (gold!?) can be predicted accurately, at least to within a few orders of magnitude, over at least 0.1% of the ocean floors.

### Global Synchronism

For many years now, dashed correlation lines have connected short, fat magnetic anomalies with tall, skinny magnetic anomalies and even with featureless magnetic plains. But such correlation is simply a correlary of the Geologic Correlation Axiom. According to this rule, any variable can be made to correlate with any other variable once the vertical and horizontal scales are suitably adjusted, the eyeball suitably trained, and the correlation lines suitably slanted to the author's prejudices.

Vogt [1972] has applied this axiom to show that hot spot volcanoes, magnetic reversals, dinosaur populations, the stock market, and the annual number of Norman Watkins papers all follow the same global rhythm. Although further proofs of global syn-

chronism are really unnecessary, Kennett and Thunell [1975] have shown that volcanic activity along the world's island arcs has indeed fluctuated in sympathy with the hot spot discharge curve inferred by Vogt [1972]. But why should this be so? Why should volcanoes in the Marianas or the Caribbean 'know' what the Hawaiian volcanoes are doing? One answer is that mantle plumes speed up plate motions and thereby increase subduction rates and related volcanic activity. However, since many scientists still do not accept mantle plumes, we offer a yet more plausible mechanism in Figure 9. (To the reader who might question who would fill the plume juice bag, we would answer, 'Nitpicker!')

### Logjam Tectonics

Having dwelt too long on the generation of aseismic ridges, we close by considering their destruction. Basalts deposited on continental crust will tend to be eroded off, along with some of the underlying intrusives. Aseismic ridges formed on ocean crust




Fig. 10. Illustration of logjam tectonics (see text for explanation of symbols).

will probably eventually be subducted into the mantle (The Gospel According to Le Pichon, Francheteau, and Bonnin (*Plate Tectonics*): 7-3). However, the bulky, buoyant aseismic ridge poses a problem to plate digestion, and subduction is postponed as long as possible. In the meantime, the island arc and trench migrate toward the downgoing plate as a result of back-arc spreading. This migration is slowed or stopped where the ridge is being subducted, and (Eureka!) a cusp is formed [Vogt, 1973]. Isn't that cleaver? Figure 10 shows the battering ramifications of the pushy process postponing plate plunging.

The only other theory for island arc formation besides logjam tectonics is Ping-Pong ball tectonics. This theory holds that the earth is a giant Ping-Pong ball, its surface dented inward in numerous places to produce island arcs [Frank, 1968]. Frankly, we find any theory that likens the earth to a wet, dirty, dented Ping-Pong ball too ludicrous to debate.

### Acknowledgments


The authors completed this paper while on sabbatical at the Plumatic Asylum, Lower Slobbovian Institute of Advanced Geoquackery. P.R.V. wishes to thank the anonymous reviewers for censoring the original manuscript and AGU copy editor Joan Welsh for humor above and beyond the call of duty. He also thanks the lampooned individuals and institutions not to press libel charges. This paper does not necessarily reflect the views of the Plumatic Asylum, the Institute of Geotectonic Redundancies, the

International Stop Continental Drift Society, the U.S. Government, or the authors. Plumatic Asylum contribution 0000001.

### References

- Anderson, D., Chemical plumes in the mantle, *Bull. Geol. Soc. Amer.*, 86, 1593-1600, 1975.
- Burke, K. C., and J. T. Wilson, Hot spots on the earth's surface, *Sci. Amer.*, 235, 46-57, 1976.
- Frank, F. C., Curvature of island arcs, *Nature*, 220, 363, 1968.
- Holden, J. C., Present and past symmetry of rifts (abstract), *Eos Trans. AGU*, 57, 89, 1976a.
- Holden, J. C., Permian-Triassic continental configurations and the origin of the Gulf of Mexico: Comment, *Geology*, 4, 324-325, 1976b.
- Jackson, E. D., and H. R. Shaw, Stress fields in central portions of the Pacific plate: Delineated in time by linear volcanic chains, *J. Geophys. Res.*, 80, 1861-1874, 1975.

- Kennett, J. P., and R. C. Thunell, Global increase in Quaternary explosive volcanism, *Science*, 187, 497-503, 1975.
- Le Pichon, X., J. Francheteau, and J. Bonnin, *Plate Tectonics*, 300 pp., Elsevier, New York, 1973.
- Morgan, W. J., Convection plumes in the lower mantle, *Nature*, 230, 42-43, 1971.
- Morgan, W. J., Deep mantle convection plumes and plate motions, *Amer. Ass. Petrol. Geol. Bull.*, 56, 202-213, 1972.
- Schilling, J. G., Iceland mantle plume: Geochemical study of Reykjanes Ridge, *Nature*, 242, 565-571, 1973.
- Schilling, J. G., Azores mantle blob: Rare-earth evidence, *Earth Planet. Sci. Lett.*, 25, 103-115, 1975.
- Shaw, H. R., and E. D. Jackson, Linear island chains in the Pacific: Results of thermal plumes or gravitational anchors?, *J. Geophys. Res.*, 78, 8634-8652, 1973.
- Tozer, D. C., Thermal plumes in the earth's mantle, *Nature*, 244, 398-400, 1973.
- Vogt, P. R., Asthenosphere motion recorded by the ocean floor south of Iceland, *Earth Planet. Sci. Lett.*, 13, 153-160, 1971.
- Vogt, P. R., Evidence for global synchronism in mantle plume convection, and possible significance for geology, *Nature*, 240, 338-342, 1972.
- Vogt, P. R., Subduction and aseismic ridges, *Nature*, 241, 189-191, 1973.
- Vogt, P. R., The Iceland phenomenon: Imprints of a hot spot on the ocean crust, and implications for flow below the plates, in *Geodynamics of Iceland and the North Atlantic Area*, edited by L. Kristjansson, pp. 105-126, D. Reidel, Hingham, Mass., 1974.
- Vogt, P. R., and G. H. Johnson, Magnetic telechemistry of oceanic crust?, *Nature*, 245, 373-375, 1973.
- Vogt, P. R., and G. H. Johnson, Transform faults and longitudinal flow below the midoceanic ridge, *J. Geophys. Res.*, 80, 1399-1428, 1975.
- Wilson, J. T., Continental drift, *Sci. Amer.*, 208, 86-100, 1963.



John C. Holden received his training at San Diego State University (geology) and the University of California at Berkeley (paleontology) and has served over the past 16 years as a marine geologist and geophysicist intermittently for the U.S. Coast and Geodetic Survey, ESSA, and NOAA. He has also been employed in private industry as an exploration geologist and paleontologist and is now a consultant and scientific illustrator. To lighten his work load, he is Director of the Mazama Institute of Geotectonic Redundancies and President of the International Stop Continental Drift Society (ISCDS).

Peter Vogt holds all the usual academic credentials, including a valid Birth Certificate and a Third Degree, from recognized, well-meaning academic, mental, and corrective institutions. When not engaged in lively battles with the reviewers of his scientific manuscripts, he works at correlating various kinds of anomalies at the Naval Research Laboratory, Washington, D. C. Vogt is a Fellow of the Geological Society of America and a member of the ISCDS.